

Moving Details.

Price list UNIQUIN

Edition 2026

Batch 1

FAST
DELIVERY TIMES!



FROM 10
WORKDAYS


dg DORMA
GLAS®

Overview price lists and discount groups

Price list title	Functional areas	Discount groups State 01/26
Glass door fittings and systems		
Glass door fittings and systems spare parts	Sliding Door Fittings Glass door fittings single-action Glass door fittings double action Patch fittings and profile systems Levers, handle bars and pull grips	I
MUTO spare parts		
HSW / FSW / BSW		
HSW / FSW / BSW spare parts	Glass Sliding and Folding Walls	II
UNIQUIN		
UNIQUIN spare parts	Glass Partition Walls	III
LOFT systems		X
Basic programme glass solutions	Sliding Door Systems Pivoting Door Systems single action Pivoting Door Systems double action Patch fittings and profile systems	I
justo Line	justo TURN justo SLIDE justo GRIP justo FRAME justo SHOWERS	IV (net prices)
Complementary Price List Door Closer, security accessories and Drives for glass systems	Door Closer	V
	c-lever and digital cylinders	VI
	MAGNEO	VII
	PORTEO	VIII
Shower fittings	Single-action door shower fittings Double-action shower fittings Folding door shower fittings Sliding-door shower fittings Walk-in showers	IX

Please note:

Individual articles within a price list may be assigned to a **different discount group**. These are marked accordingly.



02 General information

Price list overview	2
Explanation of Art. No. / Finishes	4 – 5
Delivery / Transit times	6



07 Glass partition walls

Application possibilities	7
UNIQUIN at a glance	8 – 10
Technical data	11 – 12
Articles and prices	13 – 19
Options	20
Frame Samples	21

Explanation of article numbers

On the Basis of UNIQUIN pull handle, finish AL graphite, scratch resistant, powder coated

Complete article no: 8.50.520.382.99

8	-	50	-	520	-	382	-	99
Plant DORMA-Glas		Fitting group		Article definition		Finish		Salable article

Short version in this price list

50.520

The indication for "Plant DORMA-Glas" and "Salable article" are always fix components of the complete article no.

Exceptions: Art. No. highlighted in grey

Please note that the articles with article numbers highlighted in grey require a special configuration and can therefore only be fully determined by your sales contact (our internal sales force).

Pictographs / Pictures

The pictographs in this price list have been included for guidance only.

They are not true to scale and do not constitute a binding description of the exact application of the products!

Subject to change without notice.

Technical Support / Application technology

In case of any questions or need for assistance with creating complete solutions our department for technical support will be pleased to help you.

Your benefits:

- Technical advice for Interior Glass Products
- Support for creating complete solutions
- Assistance in terms of installation issues

Finishes

Finish codes

The finish codes at the top of the price columns inform you about the materials, colors and finishes available for the products. They can differ with regards to the various products, therefore only those finishes indicated with a price for the respective product are available.

Please contact us if your required finish is not shown there. We will endeavour to help you.

Base parts, various material, untreated surfaces	
000	Base parts

Aluminium, powder coated	
Black	
304	AL powder coated, Jet black, smooth, matte (sim. RAL 9005)
385	AL powder coated, Jet black, fine texture, matte (sim. RAL 9005)
White	
300	AL powder coated, Traffic white, smooth, glossy (sim. RAL 9016)
350	AL powder coated, Traffic white, smooth, semi gloss (sim. RAL 9016)
384	AL powder coated, Traffic white, smooth, flat matte (sim. RAL 9016)
Grey	
382	AL powder coated, Graphite, fine texture, matte (scratch resistant)
383	AL powder coated, similar DB 703, smooth, matte, perl glimmer effect
Metall look	
318	AL powder coated, similar anodized EV1, smooth, matte
331	AL powder coated, similar anodized Silver, smooth, matte
309	AL powder coated, similar anodized C35, smooth matte
330	AL powder coated, similar stainless steel, smooth, semi gloss
Specials	
398	AL powder coated, Special color, high weather resistant
399	AL powder coated, Special color (Standard powder according to the corresponding overview on our website. A price surcharge is possible for special colors outside the color range specified there.)

Please note

flat matte:	ca. < 20% gloss level
matte:	ca. 20% < 35% gloss level
semi gloss:	ca. 65% < 75% gloss level
glossy:	ca. 80% < 95% gloss level

Note

Special anodized shades (199) and special colors (399 and 398) on request; please enquire with color samples if available.

Finish differences through production cannot be totally excluded.

Aluminium, mill finish and anodized	
100	AL mill finish
Silver look	
101	AL anodized, EV1, sanded, matte (for profiles: stained, matte)
114	AL anodized, EV1 Deco, satin, matte (compatible with finish 150)
150	AL anodized, Silver, satin, matte (compatible with finish 114)
Stainless Steel look	
107	AL anodized, similar stainless steel, polished, matte
113	AL anodized, similar stainless steel, satin (for profile material) (similar Anodizing II C 31)
157	AL anodized, similar stainless steel, satin
Brass look	
105	AL anodized, brass-coloured EV3
106	AL anodized, similar brass, smooth, glossy
Black	
108	AL anodized, dark bronze (DB14)
109	AL anodized, Black, satin, matte
Specials	
199	AL anodized, special
Stainless steel, various finish treatments	
700	Stainless steel, satin (compatible with 750)
750	Stainless steel, satin (for MUNDUS) (compatible with 700)
701	Stainless steel, polished (compatible with 751)
751	Stainless steel, polished (for MUNDUS) (compatible with 701)
Brass, various finish treatments	
503	Brass, polished
Plastic, various finish treatments	
Colored	
803	Plastic, Black, dyed through
805	Plastic, Traffic white, dyed through
Chromed	
804	Plastic, satin chromed

Diverse codes of our Powder Coating Standard Colors are to find under this link:
<https://www.dorma-glas.com/en/service/infopoint/material-and-surfaces/>

Delivery periods

The delivery periods pertaining to our products depend on the system-related preparation times and the transit times relevant to the destination concerned. Within 24 hours (one working day) following order receipt you will receive from us a corresponding confirmation of order receipt or, in the case of standard product orders, a normal order confirmation.

The standard times given in this price list are for guidance only. The precise order-specific delivery periods are shown in the order confirmation, which will be sent to you once all the details of the order have been clarified. The cited dates will take into account not only the time necessary for transportation/shipment but also any specific requirements previously agreed such as consignment groupage, collective delivery and designated departure dates.

Preparation times

This is defined as the number of working days from the date of order confirmation until the products are ready for dispatch at the factory in Bad Salzflufen.

The likely preparation times are indicated by the color coding of the price backgrounds.



The color strip (at the bottom of price list pages) numeralizes the preparation time in working days.

They relate to order quantities per item of max.

25 pieces for individual fittings/sets

120 m for profiles

The preparation times for larger quantities respectively for projects, customised solutions and modifications may differ. We will be glad to inform you on request of the delivery times that then apply. Subsequent order changes will result in the preparation and delivery times being recalculated and reconfirmed.

Overview Freight flat rates

Flat rate freight charge of € 9.90 per order.
Length surcharge for bundles of € 19.90 per order.

Express surcharge of € 59.90 per order.

Note: Flat rates and surcharges can be added together.

A low-quantity surcharge of € 15.00 is raised for each order whose net invoice value is less than € 60.00.

All prices are gross prices exclusive freight and packing!

Please consider our general terms and conditions shown on www.dorma-glas.com

Transit times

This is defined as the number of working days it takes to transport the items door-to-door from Bad Salzflufen to the delivery address. Some transit times to various countries of destination are indicated in the table below. Please note that the number of days indicated is subject to variations arising from designated departure days. We will gladly quote transit times for countries not listed.

Country (Delivery destination)	Departure days (from Bad Salzflufen)	Transit time to delivery address (Working days)
BE, LU, NL	daily	2 - 3
BA, BG, HR	Fri	5 - 9
CZ	Tue + Fri	3 - 4
DK	Tue + Fri	2 - 3
EE, LV, LT	Tue + Fri	4 - 8
NO	Fri	4 - 8
FI, SE	Tue + Fri	6 - 7
FR, GB	daily	4 - 7
GR	Thu	10 - 12
HU	Tue, Fri	4
IE	Tue + Fri	5 - 7
ES, IT	Tue + Fri	6 - 8
PL	daily	4 - 5
PT	Fri	6 - 8
RO, RS	Fri	6 - 7
SK, SI	Tue + Fri	4 - 6
TR	Fri	7 - 8

Express (KEP services) for all countries

There is the option of delivering packages with a maximum length of 2.70 m and a maximum weight of 25 kg within the next working day.

For countries with two departure days a week, forwarders reserve the right to reduce the weekly departures to one if the volume of their customers is too low.

Overview service fees

Service	Surcharge	Note
Order modification	included	Implementation after internal review
Delivery time reduction	included	Implementation after internal review
Drawing creation – PRO line (order)	included	UNIQUIN, HSW/FSW/BSW and MUTO telescopic systems
Drawing changes – PRO line*	35,00 €	Starting from the 2nd change of the release drawing (UNIQUIN, HSW/FSW/BSW and MUTO Telescopic systems)
Drawing creation – PRO/ECO line (quotation)	based on effort	
Drawing creation – ECO line	50,00 €	justo LINE
Setup fee for each special surface	25,00 €	per order for each special surface

We reserve the right to charge these service fees.

* We reserve the right to charge additionally for a significant number of changes based on the time required.

	UNIQUIN
Standard applications	
General	
For interior applications	●
For project applications	●
For individually designed assemblies (90° angled, T-joints)	●
For assemblies with rebated door frames, sliding doors, fixed elements	●
For rebated door frames in masonry	●
Single action doors in rebated frames	
Integrated in UNIQUIN glass assembly	●
Integrated in masonry	●
Glass door in room height	●
Glass door with glass overpanel	●
Timber door in room height	●
Timber door with glass overpanel	●
With / without door closer	●
With / without drop down seal	●
With / without emergency exit function	●
Sliding doors	
Glass doors fixed to glass overpanel and sidelight/s	●
Timber doors fixed to glass overpanel and sidelight/s	●
1 panel	●
2 panels with / without Synchro version	●
Material / Finishes	
Aluminium powder coated according to RAL	●
Aluminium powder coated in special colors	●
Special applications (Consulting necessary)	
Individual composition, adaptation on site	●

Details of the maximum door dimensions and further information can be taken from our Technical Brochures.



UNIQUIN

The system for communicative room designs

01

Sliding door

Create access points without losing space. With UNIQUIN you can incorporate single or double-leaf sliding doors with ease.

02

Room-height single-action door

Incorporate door systems measuring up to 3 meters in height. These prestigious access points create a striking impression.

03

Corners

Create rooms with continuous transparency and without vertical posts even in 90° room corners.

04

Electrification

You can position switches, sockets or electronic connections at the door frame profiles. The cable supply is provided invisibly within the profiles.



Enhance your interior design. The system comprises partitions and door solutions that offer coordinated, attractive design coupled with impressive application versatility. For effortlessly combined transparency and discretion: UNIQUIN.

05

Acoustic module

The acoustic modules from UNIQUIN absorb sound waves from within to create a pleasant ambient feel. The fabric covering can be individually printed and backlit*. Whether it's an eye-catching detail or discreet background – you decide.

06

Sound protection

The decoupled mounting of your desired material in thicknesses between 10 to 19 mm reduces sound transmission. When using laminated safety glass with special sound protection films, the effect is even maximized: more transparency, less noise.

07

Single-action door

Whether doors for selective visual privacy or homely accents, again, the choice is yours. With frames in a coordinated design for glass doors in 10-19 mm thickness and timber doors in 40-49 mm thickness.

08


Door assemblies in structural openings

You can also use the same frame profiles from UNIQUIN for classic single-door solutions, giving a uniform, coordinated look throughout the entire building.

* Concept and installation by others


All the elements at a glance

With UNIQUIN, you can create an interior design exactly to your taste – from comprehensive room concept to individual door solution



- * **Scope of delivery for glass single-action door:** Frame element, hinges, standard lock (profile cylinder), lever handle
- Scope of delivery for timber single-action door:** Frame element. The hinges and lock must be provided by others.
(Processing for mortise locks according to DIN 18251. Forend width 20 mm; backset 55 mm; center distance 72 mm)
- ** **Scope of delivery for acoustic module:** Frame profile, acoustic foam (optional), silicone beading.
Decorative textile covering/lighting provided by others
- *** **Scope of delivery for sliding door:** UNIQUIN/MUTO Comfort L 80 complete system
- **** For details, see table on page 11

Assembly types



Technical data – mounting profiles and fixed elements



Total system measurements taking into account the glass statics (b = width, h = height)	w = no limit (according to respective glass statics) h = max. 4000 mm
Intermediate fixed panel Wall-mounted fixed panel	w = min. 500 mm, h = max. 4000 mm w = min. 300 mm, h = max. 4000 mm (See also "Maximum installation heights" table)
Pane material (TSG = single-pane safety glass, LSG = laminated safety glass)	Glass (TSG, LSG of 2 x TSG), timber or other material (10* – 19 mm)
Mounting profiles	For material thicknesses 10 – 13.5 mm, 14 – 18 mm and 16 – 19 mm (see page 24, technical brochure)
Profile material and colours (AL = Aluminium)	Aluminium, powder-coated
	385 AL powder coated, Jet black, fine texture, matte (sim. RAL 9005)
	384 AL powder coated, Traffic white, smooth, flat matte (sim. RAL 9016)
	382 AL powder coated, Graphite, fine texture, matte (scratch resistant)
	383 AL powder coated, similar DB 703, smooth, matte, perl glimmer effect
	318 AL powder coated, similar anodized EV1, smooth, matte
	399 AL powder coated, Special color. (Standard powder according to the corresponding overview on our website. A price surcharge is possible for special colors outside the color range specified there.)
Installation options	Wall, floor, ceiling, 90° room corner, T-joint
Door types	Swing and sliding doors (technical data from page 34, technical brochure)
Emergency exit / panic function	In accordance with EN 179 and EN 1125 (can be equipped optionally, see from page 52, technical brochure)
Wiring (electrics / electronics)	Integrated cabling of NYM cables with max. outside diameter of 10 mm
Sound protection test (dB = decibel)	Tested sound protection according to DIN EN ISO 10140 up to 41 dB, depending on design and construction type. (The sound protection value may vary depending on the chosen glass thickness. The specified value of up to 39 dB refers to a complete door element and thus to the supposedly weakest element of an assembly. Up to 41 dB can be achieved in the fixed panel area. Corresponding certificates are available upon request, see page 15, technical brochure.)
Structural analysis	Proof of stability according to DIN 18008. DIN 4103 available as certificate for glass. (For alternative materials, the safety certificate must be furnished on a case-by-case basis.) Accident-proof glazing possible with UNIQUIN, see note on page 12/14, technical brochure.

* Glass doors also from 8 mm, but only possible with 80 kg hinge.

Further technical information can be taken from our **Technical Brochure**.



Technical data – single-action and sliding doors

	Single-action doors		Manual sliding doors MUTO Comfort L 80	
Glass thickness	10–19 mm		8–13.5 mm	
Timber thickness	38–47 mm		28–50 mm	
Max. door weight	Glass door: 130 kg Timber door: 80 kg		80 kg	
		80 kg hinge	130 kg hinge	
Frame width	w/o TS	600 – 1,186 mm	600 – 1,410 mm	660 – 2,000 mm (panel width)
	with TS 97	700 – 1,186 mm	700 – 1,186 mm	
	with TS 98	800 – 1,186 mm	800 – 1,410 mm	
Frame height		2,000 – 2,550 mm	2,000 – 3,000 mm	3,000 mm (max. panel height)
Tested operating cycles	200,000		100,000	
Corrosion resistance according to EN 1670	Class 2		Class 4	
Locking	For glass doors: Mortise locks according to DIN 18251-2, backset 45 mm, center distance 92 mm (Please request different specifications for timber doors separately).		Integrated locking (optional / retrofittable)	
Further components (optional / retrofittable)	Panic locks for emergency exits according to EN 179, EN 1125. dormakaba TS 97 / TS 98 door closer for glass door. (dormakaba ITS 96 door closer for timber door provided by others or optional). Electronic access control system (e.g. dormakaba c-lever compact) or other access control systems as long as they are designed for standard locks. Mounting element for sockets / switches. Drop-down seal.		DORMOTION damping, integrated status indicator	


Mounting profiles for wall mounted and for intermediate fixed panels

AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	Al p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---


Art. No.	Description	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
----------	-------------	---------	---------	---------	---------	---------	---------

The surcharges in % refer to the surface 382.


Mounting profile (glass, timber, other materials)



	46 mm profile height for material in thicknesses from 10 - 13.5 mm	€/m					
50.401	Fixed length up to 3000 mm	77,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.401	Fixed length 3001 mm - 5999 mm	77,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.010	Stock length 6000 mm (with orders of 1 - 9 stock lengths)	415,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.801	Stock length 6000 mm (with orders of min. 10 stock lengths)	347,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %



	46 mm profile height for material in thicknesses from 14 - 18 mm	€/m					
50.402	Fixed length up to 3000 mm	81,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.402	Fixed length 3001 mm - 5999 mm	81,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.011	Stock length 6000 mm (with orders of 1 - 9 stock lengths)	439,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.802	Stock length 6000 mm (with orders of min. 10 stock lengths)	366,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %



	55 mm profile height for material in thicknesses from 16 - 19 mm	€/m					
50.403	Fixed length up to 3000 mm	89,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.403	Fixed length 3001 mm - 5999 mm	89,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.012	Stock length 6000 mm (with orders of 1 - 9 stock lengths)	475,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.806	Stock length 6000 mm (with orders of min. 10 stock lengths)	394,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %

Mounting profiles for curved systems; base profile / glass on the inner radius, cover profile on the outer radius, maximum bending length 2600 mm

		€/set (qty 1)					
50.061	46 mm profile height for material thicknesses from 10 – 13.5 mm: Set consisting of top and bottom profiles, complete with accessories	2317,00	2460,00	2460,00	2460,00	2460,00	2472,00
		€/set (qty ≥2)					
		1923,00	2047,00	2047,00	2047,00	2047,00	2137,00
		€/set (qty 1)					
50.063	46 mm profile height for material thicknesses from 14 – 18 mm: Set consisting of top and bottom profiles, complete with accessories	2317,00	2460,00	2460,00	2460,00	2460,00	2472,00
		€/set (qty ≥2)					
		1923,00	2047,00	2047,00	2047,00	2047,00	2137,00

Mounting profiles for curved systems; base profile / glass on the outer radius, cover profile on the inner radius, maximum bending length 2600 mm

		€/set (qty 1)					
50.057	46 mm profile height for material thicknesses from 10 – 13.5 mm: Set consisting of top and bottom profiles, complete with accessories	2317,00	2460,00	2460,00	2460,00	2460,00	2472,00
		€/set (qty ≥2)					
		1923,00	2047,00	2047,00	2047,00	2047,00	2137,00
		€/set (qty 1)					
50.059	46 mm profile height for material thicknesses from 14 – 18 mm: Set consisting of top and bottom profiles, complete with accessories	2317,00	2460,00	2460,00	2460,00	2460,00	2472,00
		€/set (qty ≥2)					
		1923,00	2047,00	2047,00	2047,00	2047,00	2137,00

Rebated frames for single action doors

NEW
ALSO AVAILABLE
AS DOUBLE-LEAF
DOOR WITH
CENTER POST

AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	AI p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---

Art. No.	Description	€/Piece					
The surcharges in % refer to the surface 382.							
Rebated frames for single action doors in fixed glass elements with glass sidelights on both sides and glass overpanel *							
	50.102 Size 1 (up to 2200 mm) for glass (incl. lock, lever, 2 hinges, optional 80 kg hinge or 130 kg hinge)	1232,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
	Surcharge for double-leaf door (including center post with drive bolt, 2 hinges, optional 80 kg hinge or 130 kg hinge)* Surcharge for dormakaba TS 97 with hold open device* dormakaba TS 98 with hold open device* Surcharge for drop down seal*	2521,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		341,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		535,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		191,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 1 (up to 2200 mm) for timber (Frame profile prepared for concealed timber door hinges by customer)		690,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 2 (up to 2600 mm) for glass (incl. lock, lever, 3 hinges, optional 80 kg hinge or 130 kg hinge)		1431,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
	Surcharge for double-leaf door (including center post with drive bolt, 3 hinges, optional 80 kg hinge or 130 kg hinge)* Surcharge for dormakaba TS 97 with hold open device* dormakaba TS 98 with hold open device* Surcharge for drop down seal*	2899,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		341,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		535,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		191,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 2 (up to 2600 mm) for timber (Frame profile prepared for concealed timber door hinges by customer)		787,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 3 (up to 3000 mm) for glass (incl. lock, lever, 3 pcs. 130 kg hinge)		1477,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
	Surcharge for double-leaf door (including center post with drive bolt, 3 hinges, optional 80 kg hinge or 130 kg hinge)* Surcharge for dormakaba TS 97 with hold open device* dormakaba TS 98 with hold open device* Surcharge for drop down seal*	2989,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		341,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		535,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		191,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 3 (up to 3000 mm) for timber (Frame profile prepared for concealed timber door hinges by customer)		834,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 10 %
	Preparation for dormakaba ITS 96						on request



Prices for additional options (e.g. locks with magnetic latch, panic locks), TS98, electric strike can be found from page 20.

* For double-leaf doors, this position is also calculated twice.
** If the width of 1100 mm is exceeded, the price is increased **proportionally** by the price for the "Adapter profile for direct connection of rebated frame to wall" (Art. No. 50.818 / 50.819 / 50.410 / 50.412 / 50.820 / 50.414).

Rebated frames for single action doors



AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	AL p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---


Art. No.	Description	€/Piece					
The surcharges in % refer to the surface 382.							
Rebated frames for single action doors in masonry (incl. adapter profile for direct connection to wall)							
	50.102 Size 1 (up to 2200 x 1100 mm**) for glass (incl. lock, lever, 2 hinges, optional 80 kg hinge or 130 kg hinge)	1474,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
	Surcharge for double-leaf door (including center post with drive bolt, 2 hinges, optional 80 kg hinge or 130 kg hinge)* Surcharge for dormakaba TS 97 with hold open device* dormakaba TS 98 with hold open device* Surcharge for drop down seal*	2831,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		341,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		535,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		191,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 1 (up to 2200 x 1100 mm**) for timber (Frame profile prepared for concealed timber door hinges by customer)		931,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 2 (up to 2600 x 1100 mm**) for glass (incl. lock, lever, 3 hinges, optional 80 kg hinge or 130 kg hinge)		1708,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Surcharge for double-leaf door (including center post with drive bolt, 3 hinges, optional 80 kg hinge or 130 kg hinge)* Surcharge for dormakaba TS 97 with hold open device* dormakaba TS 98 with hold open device* Surcharge for drop down seal*	3243,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
	341,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
	535,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
	191,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.102 Size 2 (up to 2600 x 1100 mm**) for timber (Frame profile prepared for concealed timber door hinges by customer)		1065,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.102 Size 3 (up to 3000 x 1100 mm**) for glass (incl. lock, lever, 3 pcs. 130 kg hinge)		1790,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Surcharge for double-leaf door (including center post with drive bolt, 3 hinges, optional 80 kg hinge or 130 kg hinge)* Surcharge for dormakaba TS 97 with hold open device* dormakaba TS 98 with hold open device* Surcharge for drop down seal*	2375,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
	341,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
	535,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
	191,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.102 Size 3 (up to 3000 x 1100 mm**) for timber (Frame profile prepared for concealed timber door hinges by customer)		1146,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Preparation for dormakaba ITS 96							on request

Prices for additional options (e.g. locks with magnetic latch, panic locks), TS98, electric strike can be found from page 20.

* For double-leaf doors, this position is also calculated twice.
** If the width of 1100 mm is exceeded, the price is increased **proportionally** by the price for the "Adapter profile for direct connection of rebated frame to wall" (Art. No. 50.818 / 50.819 / 50.410 / 50.412 / 50.820 / 50.414).

Adapter profiles


AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	AI p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---

Art. No.	Description	€/Piece					
The surcharges in % refer to the surface 382.							
Adapter profile for connecting mounting profile and rebated frame							
							
Adapter profile for usage with 10 mm glass door							
		€/m					
50.812	Fixed length up to 3000 mm	19,50	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.812	Fixed length 3001 mm - 5999 mm	19,50	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
		€/Piece					
50.809	Stock length 6000 mm	105,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
Adapter profile for usage with 12 mm glass door (not illustr.),							
		€/m					
50.813	Fixed length up to 3000 mm	19,50	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.813	Fixed length 3001 mm - 5999 mm	19,50	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
		€/Piece					
50.810	Stock length 6000 mm	105,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
Adapter profile for usage with 13,5 mm glass door (not illustr.),							
		€/m					
50.404	Fixed length up to 3000 mm	29,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.404	Fixlänge 3001 mm bis 5999 mm	29,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
		€/Piece					
50.405	Stock length 6000 mm	175,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
Adapter profile for usage with 15 mm glass door (not illustr.),							
		€/m					
50.406	Fixed length up to 3000 mm	29,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.406	Fixed length 3001 mm - 5999 mm	29,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
		€/Piece					
50.407	Stock length 6000 mm	175,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
Adapter profile for usage with 17 mm glass door (not illustr.),							
		€/m					
50.814	Fixed length up to 3000 mm	29,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.814	Fixed length 3001 mm - 5999 mm	29,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
		€/Piece					
50.811	Stock length 6000 mm	132,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
Adapter profile for usage with 19 mm glass door (not illustr.),							
		€/m					
50.408	Fixed length up to 3000 mm	33,50	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
50.408	Fixed length 3001 mm - 5999 mm	33,50	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	
		€/Piece					
50.409	Stock length 6000 mm	203,00	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %	

Sliding door elements

AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	Al p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---

Art. No.	Description	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
The surcharges in % refer to the surface 382.							
Adapter profile for connecting mounting profile and rebated frame							
Adapter profile for usage with 10 mm glass door							
		€/m					
50.818	Fixed length up to 3000 mm	44,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.818	Fixed length 3001 mm - 5999 mm	44,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.815	Stock length 6000 mm	212,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Adapter profile for usage with 12 mm glass door (not illustr.),							
		€/m					
50.819	Fixed length up to 3000 mm	44,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.819	Fixed length 3001 mm - 5999 mm	44,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.816	Stock length 6000 mm	212,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Adapter profile for usage with 13,5 mm glass door (not illustr.),							
		€/m					
50.410	Fixlänge bis 3000 mm	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.410	Fixlänge 3001 mm bis 5999 mm	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.411	Stock length 6000 mm	292,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Adapter profile for usage with 15 mm glass door (not illustr.),							
		€/m					
50.412	Fixed length up to 3000 mm	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.412	Fixed length 3001 mm - 5999 mm	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.413	Stock length 6000 mm	292,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Adapter profile for usage with 17 mm glass door (not illustr.),							
		€/m					
50.820	Fixed length up to 3000 mm	44,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.820	Fixed length 3001 mm - 5999 mm	44,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.817	Stock length 6000 mm	212,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Adapter profile for usage with 19 mm glass door (not illustr.),							
		€/m					
50.414	Fixed length up to 3000 mm	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.414	Fixed length 3001 mm - 5999 mm	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.415	Stock length 6000 mm	292,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Acoustic module							
		€/m					
50.301	Acoustic module profile Fixed length up to 3000 mm	122,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.301	Fixed length 3001 mm - 5999 mm	122,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
		€/Piece					
50.302	Sound absorbing convoluted foam 1000 mm x 500 mm x 40 mm (to be cut to size on site)	172,00					




Sliding door elements

AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	AI p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---

Art. No.	Description	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
----------	-------------	---------	---------	---------	---------	---------	---------

The surcharges in % refer to the surface 382.

Sliding door elements



Only in comb. with UNIQUIN


UNIQUIN / MUTO Comfort L 80
for max. 1940 mm clear opening width / max. 2000 mm panel width

consisting of:
1 track profile max. 4067 mm
1 cover profile max. 4067 mm
1 counter profile max. 4067 mm
2 clamp carriers
(for 8–13.5 mm glass thickness)
with anti-jump mechanism
2 endstops with safety catch and anti jump device
1 floor guide
2 end caps
incl. view protection brushes max. 4067 mm

Basis 2287 mm **576,00** + 5 % + 5 % + 5 % + 5 % + 19,8 %

Surcharge per mm - max. 4067 mm
€/mm **0,25** + 5 % + 5 % + 5 % + 5 % + 19,8 %

Please indicate clear opening width with order



Only in comb. with UNIQUIN

UNIQUIN / MUTO Comfort L 80 DORMOTION unit 2021
for max. 80 kg,
incl. starter
min. panel width 660 mm
max. panel width 2000 mm


(000)
93,00



Only in comb. with UNIQUIN

UNIQUIN / MUTO Comfort L 80 Timber adapter set
Fixed length max. 2000 mm

(000)
€/m
64,00



50.420 UNIQUIN glazing bar profile (35 x 3 mm)
for sticking on, incl. double-sided adhesive tape,
stock length 2960 mm

64,00 + 5 % + 5 % + 5 % + 5 % + 19,8 %









50.835 Touch-up stick
for finish / coating repair

net **30,50** net **30,50** net **30,50** net **30,50** net **30,50** net **33,00**

UNIQUIN Accessories

AL p-coat Graphite scratch resist. (382)	AL p-coat sim. Anod EV1 (318)	AL p-coat sim. DB 703 (383)	Al p-coat Traffic white (384)	AL p-coat Jet black (385)	AL p-coat Special color (399)
---	---	---	---	---------------------------------------	---

Art. No.	Description	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece	€/Piece
The surcharges in % refer to the surface 382.							
UNIQUIN accessories							
	dormakaba c-lever for UNIQUIN consisting of: 1 dormakaba c-lever compact fitting, access side mounted 1 lever pin set 8 mm 1 set of connecting and fixing material 2 batteries, 1.5V, AAA Lithium 1 short instruction 1 special adapter plate (without lever)	(000) 367,00					
11.662	dormakaba c-lever compact K6, electronical reader with integrated clutch, Type 2754 black, L-shape lever handle	(000) 367,00					
11.664	dormakaba c-lever compact K6, electronical reader with integrated clutch, Type 2754 black, C-shape lever handle	(000) 367,00					
Accessories for dormakaba c-lever							
50.515	dormakaba c-lever Mastercard	(000) 46,50					
50.516	dormakaba c-lever Usercard	(000) 24,50					
50.518	Zutrittsmedium Schlüsselanhänger	(000) 23,50					
50.514	dormakaba c-lever compact, tool for battery change	(000) 15,50					
	50.525 UNIQUIN door sign, DIN right, Mounting on right frame profile	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.526	UNIQUIN door sign, DIN left, Mounting on left frame profile (not illustrated)	52,50	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
	50.080 E-Module Mounting element for sockets	55,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
10.198	UNIQUIN (corner-) post 50 x 50 mm	netto €/m 77,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
	50.198 UNIQUIN ePanel 2.0 - Installation on frame (frame height) - Installation on frame (full room height) - Installation on fixed element (full room height) incl. grounding material - Surcharge** for more than 1 switch/socket	netto €/m 230,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
50.520	UNIQUIN pair of pull handles, Length = 780 mm for glass door thicknesses 8 -19 mm and timber door thicknesses up to 60 mm	172,00	+ 5 %	+ 5 %	+ 5 %	+ 5 %	+ 19,8 %
Double sided adhesive tape (TESA ACX Plus with passivated edges*) for filling gaps between glass elements and for bonding them							
50.529	for 10 - 10.76 mm glass thickness, roll of 12 m, 8 x 3 mm	(000) 55,50					
50.530	for 12 - 12.76 mm glass thickness, roll of 12 m, 10 x 3 mm	69,50					
50.531	for 13 - 13.5 mm glass thickness, roll of 12 m, 11 x 3 mm	77,00					
50.532	for 15 mm glass thickness, roll of 12 m, 13 x 3 mm	91,00					
50.533	for 17 mm glass thickness, roll of 12 m, 15 x 3 mm	104,00					
50.534	for 19 mm glass thickness, roll of 12 m, 17 x 3 mm	119,00					
	50.835 Touch-up stick for finish / coating repair	netto 30,50	netto 30,50	netto 30,50	netto 30,50	netto 30,50	netto 33,00
	50.901 Color samples UNIQUIN Finishes 382, 318, 383, 384, 385	(000) netto 30,50					

* The glass-like layer on the edges ensures that dirt particles do not stick to the edges of the adhesive tape. The transparent appearance of the adhesive tape is completely retained. **Grounding kit + device box

Frame Samples

AL
p-coat
Special
color
(399)

Art. No.	Description	€/Piece
50.607	UNIQVIN Frame sample 80/130kg hinge, F399 - Marone Red	net 232,00
50.608	UNIQVIN Frame Sample Tectus/Basys, F399 - Marone Red	net 143,00

Moving Details.




DORMA-Glas GmbH

Max-Planck-Straße 33-45
D - 32107 Bad Salzuflen

T +49 5222 924-0

info@dorma-glas.com
www.dorma-glas.com



WN 8005/543632, 01/26, EN
Subject to change without notice